

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-Fastpack 2700 - Komponente B
CAS Number:	9016-87-9
EC number:	202-966-0
Index number:	615-005-01-6
1.2 Relevant identified uses	
of the substance or mixture	
and uses advised against	No further relevant information available.
Application of the substance	
/ the mixture	Injektion
	Polyurethane resin
	Hardening agent/ Curing agent
1.3 Details of the supplier of the	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400
	Fax.: +49(0)2041-101-400
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
Informing department: 1.4 Emergency telephone number:	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB



Page 2/9

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

		(Contd. of page 1)
 Hazard pictograms 	$\land \land \land$	
	GHS07 GHS0	8
.		5
· Signal word	Danger	
Hazard-determining		
components of labelling:		ediisocyanate,isomeres and homologues
· Hazard statements	H315 Causes ski	n irritation. rious eye irritation.
		e allergy or asthma symptoms or breathing
	difficulties	
		an allergic skin reaction.
		of causing cancer.
		respiratory irritation.
	exposure.	damage to organs through prolonged or repeated
• Precautionary statements	P260	Do not breathe dust/fume/gas/mist/vapours/
-		spray.
	P280	Wear protective gloves/protective clothing/eye
	P284	protection/face protection/hearing protection. [In case of inadequate ventilation] wear
	1204	respiratory protection.
	P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
 Additional information: 		nates. May produce an allergic reaction.
		gust 2023 adequate training is required before
· 2.3 Other hazards	industrial or profe	essional use.
• Results of PBT and vPvB ass	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

3.1 Substances
 CAS No. Designation: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
 Identification number(s):
 EC number: 202-966-0 (Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

· Index number:

615-005-01-6

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation	Supply fresh air; consult doctor in case of symptoms.
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Call a doctor immediately.
 After swallowing 	Instantly call for doctor.
· 4.2 Most important symp	toms

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

 5.2 Special hazards arising from the substance or 	
mixture	Can be released in case of fire
	Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Hydrogen cyanide (HCN)
	Under certain fire conditions, traces of other toxic gases cannot be excluded.
 5.3 Advice for firefighters 	
· Protective equipment:	Put on breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
	Keep people at a distance and stay on the windward side. Put on breathing apparatus.
· 6.2 Environmental	
precautions:	Prevent material from reaching sewage system, holes and cellars.
[.] 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Dispose of contaminated material as waste according to item 13.
	Ensure adequate ventilation.
	(Contd. on page 4)
	GB



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

6.4 Reference to other sections

(Contd. of page 3)

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

· Storage class

Requirements to be met by	
storerooms and containers:	No special requirements.
 Information about storage in 	
one common storage facility:	Not required.
· Further information about	
storage conditions:	Keep container tightly sealed.

- 7.3 Specific end use(s) No further relevant information available.

10

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO

· DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m³ (ArL)

· PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

- PNEC 1 mg/l (Sewage Treatment Plant) 0.1 mg/l (Mew)
 - 1 mg/l (Suw)
- PNEC 1 mg/kg dwt (Bod)

· Additional information:

The lists that were valid during the compilation were used as basis. (Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

	(Contd. of page 4)
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
Individual protection measured	ures, such as personal protective equipment
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
Breathing equipment:	Respiratory protection is required at inadequately ventilated
	workplaces and during spray processing. Fresh air masks or
	combination filters A2-P2 are recommended for short-term work.
Hand protection	Conditionally suitable materials for protective gloves; EN 374-3:
	Nitrile rubber - NBR: Thickness ≥ 0.35 mm.
	Only suitable for splash protection. Only suitable for short-term
	exposure. In case of contamination, the protective gloves must be
Material of alarca	changed immediately.
Material of gloves	Nitrile rubber, NBR
Penetration time of glove	The event break travely time has to be found out by the
material	The exact break trough time has to be found out by the
Fire frage must a stirm	manufacturer of the protective gloves and has to be observed.
Eye/face protection	Safety glasses
Rody protoction:	Tightly sealed safety glasses. Protective work clothing
Body protection:	Protective work clothing.

9.1 Information on basic physical and	l chemical properties
General Information	
Colour:	Dark brown
Smell:	Characteristic
Melting point/freezing point:	Not determined
Boiling point or initial boiling point ar	nd
boiling range	190 °C (9016-87-
5 5	diphenylmethanediisocyanate,isomeres an
	homologues)
Flash point:	>200 °C
Auto-ignition temperature:	400 °C (9016-87-
i ale ignition tomperature	diphenylmethanediisocyanate,isomeres an
	homologues)
рН	Not determined.
Viscosity:	
dynamic at 20 °C:	200 mPas



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

	(Contd. of page
Solubility	
Water:	Hydrolized
	Not miscible or difficult to mix
	Fully miscible
Steam pressure at 25 °C:	0.0002 hPa (9016-87-
	diphenylmethanediisocyanate,isomeres ar homologues)
Density and/or relative density	nomologueoy
Density at 20 °C	1.23 g/cm ³
9.2 Other information	-
Appearance:	
Form:	Liquid
Important information on protection of hea	
and environment, and on safety.	21(1)
	Product is not evaluative
Explosive properties:	Product is not explosive.
Molecular weight	360 g/mol
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions · 10.4 Conditions to avoid Reacts with amines No further relevant information available.

(Contd. on page 7)

⁻ GB



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

strack 2700 Ka -

Tra	Trade name MC-Fastpack 2700 - Komponente B			
	• 10.5 Incol • 10.6 Haza		naterials:	(Contd. of page 6) No further relevant information available.
		sition pro	ducts:	No dangerous decomposition products known
_				
	SECTIO	N 11: To	xicologio	cal information
	· 11.1 Infor · Acute tox		hazard cla	asses as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.
	· LD/LC50	values tha	t are releva	ant for classification:
	Oral	LD50	>10000 mg	n/kg (Rat)
	Dermal	LD50	>5000 mg/	kg (Kan)
	Inhalative	LC50/4 h	~450 mg/l	(Rat)
	9016-87-9	diphenyl	methanedii	socyanate, isomeres and homologues
	Oral	LD50	>10000 mg	n/kg (Rat)
	Dermal	LD50	>5000 mg/	kg (Rab)
	Inhalative	LC50/4 h	~450 mg/l	(Rat)
		ye damag	e/irritation	Causes skin irritation. Causes serious eye irritation.
				May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	Corm coll mutagonicity		icity	May cause an allergic skin reaction. Based on available data, the classification criteria are not met.
	 Germ cell mutagenicity Carcinogenicity 		icity	Suspected of causing cancer.
	· Reproduc	ctive toxic	ity	Based on available data, the classification criteria are not met.
	STOT-sin	gle expos	ure	May cause respiratory irritation.
	· STOT-rep	eated exp	osure	May cause damage to organs through prolonged or repeated exposure.
	• Aspiration • 11.2 Infor		other haza	Based on available data, the classification criteria are not met.
		-	ng properti	es
	Substance	e is not liste	ed.	
	SECTIO	N 42: Ea	alogical	information

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available. 12.2 Persistence and degradability 12.3 Bioaccumulative potential
 - No further relevant information available.
 - No further relevant information available. No further relevant information available.
- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- · PBT:

Not applicable.

(Contd. on page 8)

GB



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

(Contd. of page 7)

Trade name MC-Fastpack 2700 - Komponente B

· vPvB:

Not applicable.

 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
 General notes: Do

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. UN "Model Regulation": Void

SECTION 15: Regulatory information

(Contd. on page 9)

GB



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023

Version number 24 (replaces version 23)

Revision: 12.08.2023

Trade name MC-Fastpack 2700 - Komponente B

(Contd. of page 8)

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture
 No further relevant information available.
 15.2 Chemical safety

assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2
* Data compared to the	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2